

# STEEL TUBE ENDS

## SPECIFICATION MATERIALS

Steel BZP

## TECHNISCHE DATEN MATERIAL

Stahl Verzinkt

## SPECIFICATION MATIERES


Acier, plaqué de zinc

## ESPECIFICACION MATERIALES

Acero, chapado de zinc


### ROUND

NO.	Ins x Gauge	mm	a	b
3010-BZP	3/4 x 18	19 x 1.25	21	7
3012-BZP	3/4 x 16	19 x 1.5	21	8
3051-BZP	3/4 x 14	19 x 2	22	8
3018-BZP	7/8 x 18	22 x 1.25	21	8
3020-BZP	7/8 x 16	22 x 1.5	21	9
3052-BZP		22 x 2	21	8
3026-BZP	1 x 18	25 x 1	21	9
		25 x 1.25		
		25.4 x 1.25		
3028-BZP	1 x 16	25 x 1.5	21	10
		25.4 x 1.5		
		25 x 2		
3053-BZP		28.6 x 1.5	27	11
3034-BZP	1 1/8 x 16	32 x 1.5	31	11
3036-BZP	1 1/4 x 18	32 x 2	31	12
3038-BZP	1 1/4 x 16	38 x 1.5	31	11
3044-BZP	1 1/2 x 18	38 x 1.75	31	12
3046-BZP	1 1/2 x 16			




### DOMED HEAD ROUND

NO.	Ins x Gauge	mm	a	b
3051-D-BZP	3/4 x 14	19 x 2	20	13



### SQUARE ROUND

NO.	Ins x Ins X Gauge	mm	a	b
3064-BZP	3/4 x 3/4 x 18	19 x 19 x 1.25	19	8
3066-BZP	3/4 x 3/4 x 16	19 x 19 x 1.5	18	8
3070-BZP	7/8 x 7/8 x 16	22 x 22 x 1.5	18	8
3072-BZP	1 x 1 x 18	25 x 25 x 1	14	10
		25.4 x 25.4 x 1.5		
3074-BZP	1 x 1 x 16	25 x 25 x 1.5	13	11
		25.4 x 25.4 x 1.5		



# TUBE END TILT GLIDES

## SPECIFICATION

Tilt 20°

### MATERIALS

Steel BZP

Base Ø 25,32.5 & 40 PE

Base Ø 47.5 & 55 PP

### STANDARD COLOURS

Black

## TECHNISCHE DATEN

Gelenk 20°

### MATERIAL

Stahl Verzinkt

Teller Ø 25,32.5 & 40 PE

Teller Ø 47.5 & 55 PP

### STANDARDFARBEN

Schwarz

## SPECIFICATION

Orientable 20°

### MATIERES

Acier, plaqué de zinc

Base Ø 25,32.5 & 40 PE

Base Ø 47.5 & 55 PP

### COLORIS STANDARD

Noir

## ESPECIFICACION

Orientable 20°

### MATERIALES


Acero, chapado de zinc

Base Ø 25,32.5 & 40 PE

Base Ø 47.5 & 55 PP

### COLORES ESTANDAR

Negro



NO.	Ins. x Gauge	mm	a	b	c	
4003Z-25-1	3/4 x 18	19 x 1.25	21	26	25	50
4003Z-32-1	3/4 x 18	19 x 1.25	21	26	32.5	75
4003Z-40-1	3/4 x 18	19 x 1.25	21	28	40	100
4003Z-47-1	3/4 x 18	19 x 1.25	21	28	47.5	100
4003Z-55-1	3/4 x 18	19 x 1.25	21	28	55	100
4004Z-25-1	3/4 x 16	19 x 1.5	20.5	26	25	50
4004Z-32-1	3/4 x 16	19 x 1.5	20.5	26	32.5	75
4004Z-40-1	3/4 x 16	19 x 1.5	20.5	28	40	100
4004Z-47-1	3/4 x 16	19 x 1.5	20.5	28	47.5	100
4004Z-55-1	3/4 x 16	19 x 1.5	20.5	28	55	100
4005Z-32-1	7/8 x 18	22 x 1.25	21	26	32.5	75
4005Z-40-1	7/8 x 18	22 x 1.25	21	28	40	100
4005Z-47-1	7/8 x 18	22 x 1.25	21	28	47.5	100
4005Z-55-1	7/8 x 18	22 x 1.25	21	28	55	100
4006Z-32-1	7/8 x 16	22 x 1.5	21	26	32.5	75
4006Z-40-1	7/8 x 16	22 x 1.5	21	28	40	100
4006Z-47-1	7/8 x 16	22 x 1.5	21	28	47.5	100
4006Z-55-1	7/8 x 16	22 x 1.5	21	28	55	100



C = Ø25



C = Ø32.5



C = Ø40



C = Ø47.5



C = Ø55

